arXiv:1702.03207v1 [math.HO] 9 Feb 2017

PYTHAGOREAN THEOREM FROM HERON'S FORMULA-ANOTHER PROOF

BIKASH CHAKRABORTY

Abstract. In this article using elementary school level Geometry we observe an alternative proof of Pythagorean Theorem from Heron's Formula.

1. Pythagorean Theorem from Heron's Formula -Another Proof

For a right angled triangle ABC (where $\angle BAC$ is the right angle), we have to show that

$$\overline{AB}^2 + \overline{AC}^2 = \overline{BC}^2.$$



Figure 1.

For the proof, let O be the mid point $\overline{BC}$. Since $\angle BAC$ is the right angle, we can draw a circle with center O and radius $\overline{BO}$ such that the points A, B, C lies on the circle. Now we join two points A and O and draw a line segment from the point B parallel to AC which meets the circle at D, (say). Again we join the points C,D and O,D.

Assume $\overline{AB} = a,\ \overline{AC} = b,\ \overline{BO} = r$.

Clearly from the figure,

$$\begin{aligned} & \textit{The area of the rectangle } ABDC \\ = \ & 2(\textit{Area of the triangle } ABO \ + \ \textit{Area of the triangle } AOC). \end{aligned} \tag{1.1}$$

Now the area of the triangle ABO $= |\sqrt{s(s-a)(s-r)(s-r)}| = |\frac{a}{2}\sqrt{r^2 - \frac{a^2}{4}}|$,

where $s = \frac{a+r+r}{2}$, and $|x|$ denotes the absolute value of x.

2010 Mathematics Subject Classification: 51M04,51-03,01A20.

Similarly the area of the triangle AOC= $|\frac{b}{2}\sqrt{r^2-\frac{b^2}{4}}|$.
Thus from 1.1,

$$ab = |a\sqrt{r^2-\frac{a^2}{4}}| + |b\sqrt{r^2-\frac{b^2}{4}}|.$$

By putting $t = 4r^2 - a^2 - b^2$ in above equation we have

$$2ab = |a\sqrt{t+b^2}| + |b\sqrt{t+a^2}|, \tag{1.2}$$

i.e.,

$$2a^2b^2 - (a^2+b^2)t = 2ab|\sqrt{t^2+(a^2+b^2)t+a^2b^2}|$$

Again squaring both sides, we get

$$(a^2-b^2)^2t^2 - 8a^2b^2(a^2+b^2)t = 0.$$

Now we consider two cases :
Case-1 $a = b$
Then clearly $t = 0$, i.e., $4r^2 = a^2 + b^2$.
Case-2 $a \neq b$
In this case we have $t \geq 0$.
Now when $t > 0$, then

$$|a\sqrt{t+b^2}| + |b\sqrt{t+a^2}| > 2ab,$$

which contradicts the equation (1.2).
So $t = 0$, i.e., $4r^2 = a^2 + b^2$.
Hence $\overline{AB}^2 + \overline{AC}^2 = a^2 + b^2 = (2r)^2 = \overline{BC}^2$. Hence the proof.

References

[1] C. Alsina, R. B. Nelsen, Icons of Mathematics, The Mathematical Association of America, Washington,DC, 2011.
[2] W. Dunham, Journey through Genius, Penguin Books, 1991.

Department of Mathematics, University of Kalyani, West Bengal 741235, India.
E-mail address: bikashchakraborty.math@yahoo.com, bikashchakrabortyy@gmail.com